ClinicalModelling

Co-funded by
the European Union



Preparação Básica: Hérnia Inguinal

2025-03

ClinicalModelling

Avaliação

Itens	Evaluation		
	Yes	No	Yes (with failures)
Respeito pela técnica asséptica			Verificação dos integradores dos cestos - (Sim/Não) Técnica correta na retirada do cesto do contentor - (Sim/Não)
Respeito pelos quadrantes			Colocar os instrumentos no quadrante correto: diérese, hemostasia, especiais e síntese - (Sim/Não)
Respeito pela ordenação dos instrumentos cirúrgicos			Colocação de acordo com os tamanhos ou (Sim/Não) Colocação por ordem de utilização (Sim/Não)
Respeito do protocolo			Colocação dos instrumentos definidos no protocolo (Sim/Não)
Tempo de preparação			Medição desde aproximação aos contentores até ao final da preparação das mesas (segundos)

4 Partners

ClinicalModelling

Escola Superior Santa Maria https://www.santamariasaude.pt/	**Uniwersytet Jagiellonski** https://wnz.cm.uj.edu.pl/
SurgeonMate https://www.surgeonmate.com/	**Universidad De Santiago De Compostela** https://www.usc.es/
INOVA+ - Innovation Services, SA https://inova.business/	**Hospital de Santa Maria - Porto** https://hsmporto.pt/
Splosna Bolnisnica Novo Mesto https://www.sb-nm.si/	**Servizo Galego De Saude** https://xxisantiago.sergas.gal/Paxinas/web.aspx
Univerza V Ljubljani https://www.uni-lj.si/academies_and_faculties/faculties/20130711115522l4/	**Fundacion Instituto de Investigacion Sanitaria de Santiago de Compostela** https://www.idisantiago.es/

Co-funded by the European Union

Funded by the European Union. Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or EACEA. Neither the European Union nor the granting authority can be held responsible for them.

ClinicalModelling - Video-modelling approach applied to the initial and continuous professional development of surgeries teams | Project 101111665

Thank You



www.clinical-modelling.eu

in/clinical-modlling.eu

Co-funded by the European Union

Funded by the European Union. Views and opinions expressed are however those of the author(s) only and do not necessarily reflect those of the European Union or European Education and Culture Executive Agency (EACEA). Neither the European Union nor the granting authority can be held responsible for them. Project 101111665.

ClinicalModelling - Video-modelling approach applied to the initial and continuous professional development of surgeries teams | Project 101111665